



# ***Welcome and Administrative Comments***

**Mr John Baranowski, Acting DASD(MR)  
ODASD(MR)**

**[John.Baranowski@OSD.MIL](mailto:John.Baranowski@OSD.MIL)**

**703-614-6137**

**2 Nov 2011**



# Product Support Manager CONFERENCE

---



**Welcome!**



# SCOTT HALL - BUILDING 226



FIRST FLOOR


Gathering Area

**LEGEND**

-  FIRE ALARM
-  FIRE EXTINGUISHER
-  MEN'S ROOM
-  WOMEN'S ROOM
-  FIRST AID KIT 1<sup>st</sup> Floor Lobby
-  DEFIBRILLATOR 1<sup>st</sup> Floor Lobby




# BUILDING 226



## SECOND FLOOR

LEGEND	
	FIRE ALARM
	FIRE EXTINGUISHER
	MEN'S ROOM
	WOMEN'S ROOM
	FIRST AID KIT
	DEFIBRILLATOR 1 <sup>st</sup> Floor





# OTHER ADMIN COMMENTS

- ❑ Place cell phones and other electronic devices on “Vibrate or Silent”



- ❑ During Q&A, microphones will be utilized



- ❑ Follow-up question sheets on registration table



- ❑ Turn lunch order in NLT 0800, NOV 3



- ❑ No food or drink allowed in auditorium



- ❑ Complete feedback survey

