SUBJECT: ARSMM 606
ENCLOSURE 1

REPLACE FIGURE 11-4 WITH:



FIGURE 11-4. DIRECT FIRE SDZ FOR FIRING HELLFIRE AGM-114 A-F LASER-GUIDED MISSILE IN DIRECT LAUNCH AT FIXED TARGET (LOAL AUTONOMOUS OR LOBL WITH REMOTE DESIGNATION)

SUBJECT: ARSMM 606
ENCLOSURE 2

REPLACE FIGURE 11-5 WITH:



FIGURE 11-5. INDIRECT FIRE SDZ FOR FIRING HELLFIRE AGM-114 A-F, K, M-N LASER-GUIDED MISSILE IN THE INDIRECT LAUNCH MODE (LOAL WITH REMOTE DESIGNATION) AT FIXED TARGET.

SUBJECT: ARSMM 606
ENCLOSURE 3

REPLACE FIGURE 11-6 WITH:



FIGURE 11-6. EXPANDED DIRECT SDZ (ARMY RW ONLY) FOR FIRING HELLFIRE AGM-114 A-F, K, M-N LASER- GUIDED MISSILE WITH ASSOCIATED MISSILE TIP-OFF ERROR IN DIRECT LAUNCH MODE AT FIXED TARGET (LOAL AUTONOMOUS OR LOBL WITH REMOTE DESIGNATION).

SUBJECT: ARSMM 606
ENCLOSURE 4

REPLACE FIGURE 11-7 WITH:



FIGURE 11-7. EXPANDED INDIRECT SDZ FOR FIRING HELLFIRE AGM-114 A-F LASER-GUIDED MISSILE WITH ASSOCIATED TIP-OFF ERROR IN THE INDIRECT LAUNCH MODE (LOAL WITH REMOTE DESIGNATION) AT FIXED TARGET OR FIRING THE AGM 114-K, M-N MISSILE WITH ASSOCIATED TIP-OFF ERROR IN EITHER THE DIRECT OR INDIRECT LAUNCH MODE.

SUBJECT: ARSMM 606
ENCLOSURE 5

REPLACE FIGURE 11-8 WITH:



FIGURE 11-8. DESIGNATOR ZONES FOR USE FOR HELLFIRE LASER-GUIDED MISSILE WDZ/SDZ

SUBJECT: ARSMM 606
ENCLOSURE 6

REPLACE TABLE 11-3 WITH:

Army rotary wing HELLFIRE missile firing modes and restriction requirements

SDZ	Aircraft	Configuration restriction	Launch mode	Laser missiles
Direct fire:				
Direct	AH–64A/D/E Apache	Yes	LOBL[1] LOAL–D	A - F
	OH–58D Kiowa	Yes		
	AH–6 Little Bird	Yes		
	MH–60L/M direct action penetrator	No		
Expanded direct	All	No	LOBL[1] LOAL–D	A - F
Indirect fire:				
Indirect	AH–64A/D/E Apache	Yes	All	A - F, K, M, N, Q
	OH–58D Kiowa	Yes		
	AH–6 Little Bird	Yes		
	MH–60L/M direct action penetrator	No		
Expanded Indirect	All	No	All	A - F, K, M, N, Q

Note:
1. With remote designation only.